

Hansie Daniel

Subject: FW: RE: 90s and pipe (Anode#2)

From: Corey Jackson <corey.jackson@andersonwebb.com>
Sent: Wednesday, November 20, 2024 5:57 AM
To: Hansie Daniel <hansie.d@consultmechanical.com>; PJ Johnston <pj.johnston@andersonwebb.com>
Subject: FW: RE: RE: Material Request - 90s (Anode)

External (corey.jackson@andersonwebb.com)

[Report This Email](#) [FAQ](#) [GoDaddy Advanced Email Security](#), Powered by INKY

FYI only 12 required at this time. For Anode

From: 배효성 <chally77777@e-shens.co.kr>
Sent: November 19, 2024 5:19 PM
To: [CKS]오성택 <oot201@cksolution.co.kr>; Hansie Daniel <hansie.d@consultmechanical.com>; Corey Jackson <corey.jackson@andersonwebb.com>; 윤보민 <tadyman@e-shens.co.kr>; Jamie Webb <jamie.webb@andersonwebb.com>; [CK]최승우소장 <ccw0909@cksolution.co.kr>; 신진영 <s821104@cksolution.co.kr>; 진휘 <imjin4999@cksolution.co.kr>; 김규환부장님 <kkh76@cksolution.co.kr>; 조재환부장님 <jam78@cksolution.co.kr>; 현남규과장님 <nk0301@cksolution.co.kr>; 김동환대리님 <kdh3055@cksolution.co.kr>; CK신마로 <maro_shin@cksolution.co.kr>; 캐나다이현빈사원 <lee.hyunbin@cksolution.co.kr>; CK박정태 <jerry0219@cksolution.co.kr>; 서수인 <ssi6709@e-shens.co.kr>; 서장경 <sjk2001@e-shens.co.kr>; 김민석 <kenstyle@e-shens.co.kr>; 천세훈 <shens1001@e-shens.co.kr>; 서기현 <skh0515@e-shens.co.kr>; 신현구 <james3244@e-shens.co.kr>
Cc: 이태형 <taehyung@e-shens.co.kr>; 홍석우 <sukwoo1346@e-shens.co.kr>; PJ Johnston <pj.johnston@andersonwebb.com>; Shervin Mahravan <shervin@consultmechanical.com>
Subject: RE: RE: RE: Material Request - 90s (Anode)

Dear Mr. Hansie,

By the way, I understand that the last quotation of 56ea was for cathode.
I have not yet received a quotation for 14 anode. Please send me a quotation including materials.

Or you can just increase the quantity at the same price and send it again.
If you send me a quotation for anode, I will approve it as soon as possible.

Thanks

-----Original Message-----

Subject : RE: RE: Material Request - 90s (Anode)

Date : 2024-11-20 06:36:27

From : [CKS]오성택 <oot201@cksolution.co.kr>

To : 'Hansie Daniel' <hansie.d@consultmechanical.com>, 'Corey Jackson' <corey.jackson@andersonwebb.com>, "'배효성'" <chally77777@e-shens.co.kr>, '윤보민' <tadyman@e-shens.co.kr>, 'Jamie Webb' <jamie.webb@andersonwebb.com>, '[CK]최승우소장' <ccw0909@cksolution.co.kr>, '신진영' <s821104@cksolution.co.kr>, '진휘' <imjin4999@cksolution.co.kr>, '김규환부장님' <kkh76@cksolution.co.kr>, '조재환부장님' <jam78@cksolution.co.kr>, '현남규과장님' <nk0301@cksolution.co.kr>, '김동환대리님' <kdh3055@cksolution.co.kr>, 'CK신마로' <maro_shin@cksolution.co.kr>, '캐나다이현빈사원' <lee.hyunbin@cksolution.co.kr>, 'CK박정태' <jerry0219@cksolution.co.kr>, '서수인' <ssi6709@e-shens.co.kr>, '서장경' <sjk2001@e-shens.co.kr>, '김민석' <kenstyle@e-shens.co.kr>, '천세훈' <shens1001@e-shens.co.kr>, '서기현' <skh0515@e-shens.co.kr>, '신현구' <james3244@e-shens.co.kr>

Cc : '이태형' <taehyung@e-shens.co.kr>, '홍석우' <sukwoo1346@e-shens.co.kr>, 'PJ Johnston' <pj.johnston@andersonwebb.com>, 'Shervin Mahravan' <shervin@consultmechanical.com>

Hansie,

Could you please send me a quote for elbow replacement?

Please send me a quote using the same form you used last time and I will send you an email for review and approval.

Thank you.



SungTaek OH / Global Business

CK Canada Inc.

A : 3295 Quality Way, Unit 130, Windsor, Ontario N8T 3R9

T : +1-226-348-9982 (CA) / +82-10-6757-5754 (KR)

M : oot201@cksolution.co.kr

W : www.cksolution.co.kr

The content of this email is confidential and intended for the recipient specified in the message only. It is strictly forbidden to share any part of this message with any third party, without the written consent of the

sender. If you received this message by mistake, please reply to this message and follow with its deletion, so that we can ensure such a mistake does not occur in the future.

From: Hansie Daniel <hansie.d@consultmechanical.com>

Sent: Tuesday, November 19, 2024 4:06 PM

To: Corey Jackson <corey.jackson@andersonwebb.com>; "배효성" <chally77777@e-shens.co.kr>; 윤보민 <tadyman@e-shens.co.kr>; Jamie Webb <jamie.webb@andersonwebb.com>; [CK]최승우소장 <ccw0909@cksolution.co.kr>; 신진영 <s821104@cksolution.co.kr>; 진휘 <imjin4999@cksolution.co.kr>; 김규환부장님 <kkh76@cksolution.co.kr>; 조재환부장님 <jam78@cksolution.co.kr>; 현남규과장님 <nk0301@cksolution.co.kr>; 김동환대리님 <kdh3055@cksolution.co.kr>;

CK신마로 <maro_shin@cksolution.co.kr>; 캐나다이현빈사원 <lee.hyunbin@cksolution.co.kr>; 공사관리담당 (글로벌) 오성택사원 <oot201@cksolution.co.kr>; CK박정태 <jerry0219@cksolution.co.kr>; 서수인 <ssi6709@e-shens.co.kr>; 서장경 <sjk2001@e-shens.co.kr>; 김민석 <kenstyle@e-shens.co.kr>; 천세훈 <shens1001@e-shens.co.kr>; 서기현 <skh0515@e-shens.co.kr>; 신현구 <james3244@e-shens.co.kr>

Cc: 이태형 <taehyung@e-shens.co.kr>; 홍석우 <sukwoo1346@e-shens.co.kr>; PJ Johnston <pj.johnston@andersonwebb.com>; Shervin Mahravan <shervin@consultmechanical.com>

Subject: RE: RE: Material Request - 90s (Anode)

Mr. Bae,

We are yet to receive appropriate 90s at ANODE#2 to proceed further. The highlighted 90s are affecting our progress and we are slipping behind our schedule by another 3 weeks.

Please expedite and replace/supply approved 90s, ASAP.

Thanks,

Hansie Daniel, P.Eng

Senior Project Manager



54 Audia Ct, Unit 2, Concord, ON L4K3N4

Email: hansie.d@consultmechanical.com | **Ph:** 905 738 1400 | **C:** 647 769 2333

From: Corey Jackson <corey.jackson@andersonwebb.com>

Sent: Tuesday, November 19, 2024 5:57 AM

To: "배효성" <chally77777@e-shens.co.kr>; 윤보민 <tadyman@e-shens.co.kr>; Hansie Daniel <hansie.d@consultmechanical.com>; Jamie Webb <jamie.webb@andersonwebb.com>;

[CK]최승우소장 <ccw0909@cksolution.co.kr>; 신진영 <s821104@cksolution.co.kr>; 진휘 <imjin4999@cksolution.co.kr>; 김규환부장님 <kkh76@cksolution.co.kr>; 조재환부장님 <jam78@cksolution.co.kr>; 현남규과장님 <nk0301@cksolution.co.kr>

olution.co.kr>; 김동환대리님 <kdh3055@cksolution.co.kr>;

CK신마로 <maro_shin@cksolution.co.kr>; 캐나다이현빈사원 <lee.hyunbin@cksolution.co.kr>; 공사관리담당 (글로벌) 오성택사원 <oot201@cksolution.co.kr>; CK박정태 <jerry0219@cksolution.co.kr>; 서수인 <ssi6709@e-shens.co.kr>; 서장경 <sjk2001@e-shens.co.kr>; 김민석 <kenstyle@e-shens.co.kr>; 천세훈 <shens1001@e-shens.co.kr>; 서기현 <skh0515@e-shens.co.kr>; 신현구 <james3244@e-shens.co.kr>

Cc: 이태형 <taehyung@e-shens.co.kr>; 홍석우 <sukwoo1346@e-shens.co.kr>; PJ Johnston <pj.johnston@andersonwebb.com>

Subject: RE: RE: Material Request – CDA 90s

Bae,

No matter size of item all items require Heat numbers, this is not going away and must be provided by whomever supplied the material, for example the attached 2 images the stainless pipe has a lot number this can be used, the 90 deg elbows I am not sure as I do not know if that is a heat number or a version of material grade in Korea, this matter is urgent as all (X14) 90s for replacement are on hold until documentation is received.

Please follow the quality program approved by TSSA to obtain your C of A as we must or else we risk losing our certification.

Moving forward it would be best practice to issue MTRs at the same time you deliver material either electronically or hard copy, it is part of the receiving process (mandatory) to match HT#s to MTRs.

Thank you,



Corey Jackson

QA/QC Inspector

Anderson Webb Limited 530 McGregor Side Rd, Sarnia, ON N7T 7H5

Office: +1 519 336 2753 **Cell:** +1 519-784-8780

corey.jackson@andersonwebb.com | www.andersonwebb.com

From: 배효성 chally77777@e-shens.co.kr

Sent: Tuesday, November 12, 2024 10:43 AM

To: Hansie Daniel hansie.d@consultmechanical.com; 홍석우 sukwoo1346@e-shens.co.kr; 공사관리담당 (글로벌) 신진영 차장 s821104@cksolution.co.kr; 공사관리담당 (글로벌) 오성택 사원 oot201@cksolution.co.kr;

공사관리담당 (글로벌) 김규환 부장 kkh76@cksolution.co.kr

Cc: [CK]김종남차장 jn_kim@cksolution.co.kr

Subject: RE: FW: 90s and pipe (Anode#2)

Mr. Hansie,

I'm planning to go out to the site this afternoon to do some work, so could you explain the details to me?

And is the problem with the 14 bad elbows on the anode?

thanks

Bae

-----Original Message-----

Subject : FW: 90s and pipe (Anode#2)

Date : 2024-11-13 00:29:16

From : Hansie Daniel <hansie.d@consultmechanical.com>

To : 배효성 <chally77777@e-shens.co.kr>, 홍석우 <sukwoo1346@e-shens.co.kr>, 공사관리담당(글로벌) 신진영 차장 <s821104@cksolution.co.kr>, 공사관리담당(글로벌) 오성택 사원 <oot201@cksolution.co.kr>, 공사관리담당(글로벌) 김규환 부장 <kkh76@cksolution.co.kr>

Cc :

Mr. Bae,

See below request from Anode#2 which have a same impact on 90s.

Please let us know your availability to review the deficient 90s and give us your direction to proceed further.

Thanks,

From: Corey Jackson <corey.jackson@andersonwebb.com>

Sent: Tuesday, November 12, 2024 10:15 AM

To: Hansie Daniel <hansie.d@consultmechanical.com>; Jamie Webb <jamie.webb@andersonwebb.com>; William Shuart <william.shuart@andersonwebb.com>; Kevin Simpson <kevin.simpson@andersonwebb.com>; darbradleysteamfitter@gmail.com; Ryan Glover <ryan.glover@andersonwebb.com>

Cc: Shervin Mahravan <shervin@consultmechanical.com>

Subject: 90s and pipe

Hansie,

(14) 90s were found in need of replacement in Anode #2 a separate email will be sent for this re-work.

Aw is requesting a length of 10" A53 Gr B for the re-work 90s with short pups in between 2 failed 90s. this would save the cutting and prepping of these pups, new spool would be constructed. There are 4 spools in Anode alone that would benefit from the new material.

Thanks in advance,



Corey Jackson

QA/QC Inspector

Anderson Webb Limited 530 McGregor Side Rd, Sarnia, ON N7T 7H5

Office: +1 519 336 2753 **Cell:** +1 519-784-8780

corey.jackson@andersonwebb.com | www.andersonwebb.com